ELSEVIER

Journal of Organometallic Chemistry 587 (1999) 307–308

Journal of Organometallic Chemistry

Author Index of Volume 587

Abu-Surrah, A.S., 58
Ahlgrén, M., 200
Antipin, M.Y., 18
Arnold, U., 233

Barret, M., 101
Baumann, F., 267
Bau, R., 299
Belsky, V.K., 18
Bertran, J., 67
Bhandari, S., 101
Broussier, R., 104

Calhorda, M.J., 233
Cao, L., 18
Cea-Olivares, R., 215
Chang, C.-K., 46
Chatterjee, S., 93
Cheng, C.-H., 46
Cherng, J.-J., 176
Chesnokova, T.A., 113
Cinquantini, A., 9
Claver, C., 136
Cotero-Villegas, A.-M., 215
Cross, R.J., 195

del Villar, A., 284
Domrachev, G.A., 113
Dong, T.-Y., 46
Dormann, E., 267
Durst, H.D., 160

Ehleiter, Y., 267

Fawzi, R., 258
Ferrari-Zijlstra, R., 215
Fontani, M., 9
Förster, B., 67
Fukin, G.K., 113

Galindo, A., 127
García-Montalvo, V., 215
García y García, P., 215
Gautheron, B., 104
Gehrhus, B., 88
Genizi, E., 81
Ghose, S., 93
Goldschmidt, Z., 81
Gómez-Ortiz, A., 215
Gottlieb, H.E., 81
Grant, G.J., 207
Gray, M.J., 207
Grevels, F.-W., 122

Haupt, M., 195
Heins, W., 258
Herberhold, M., 252
Hill, R.O., 28
Hitchcock, P.H., 88
Ho, L.-F., 176
Holt, L.A., 207
Howard, J.A.K., 104
Hwan Cho, M., 165

Iiskola, E.I., 38
Ishikawa, M., 1
Ishizuka, H., 144

Jacob, K., 9
Jin, G.-X., 252
Junk, P.C., 191
Juvaste, H., 38

Kaim, W., 267
Kalck, P., 104
Kang, Y., 165
Kärcher, J., 267
Kashiwabara, K., 290
Kawaguchi, H., 290
Kawasaki, K., 49
Kelemen, M., 267
Kennedy, A.R., 88
Keun Chung, Y., 181
Ko, J., 165
Koll, L.C., 74
Koo Lee, K., 1
Kornev, A.N., 113
Koroteev, A.M., 18
Koroteev, M.P., 18
Krammer, R., 267
Kumara Swamy, K.C., 132
Kuran, A., 122
Kursky, Y.A., 113
Kuz'mina, L.G., 104

Laitinen, R.S., 200
Laly, M., 104
Lang, H., 284
Lappert, M.F., 88
Lee, C., 165
Lee, G.-H., 176
Lee, S.W., 181
Lickiss, P.D., 113
Lin, C.-C., 151
Lin, C.-H., 151
López-Cardoso, M., 215
Lysenko, K.A., 18

Mahon, M.F., 93, 101
Mandolesi, S.D., 74
Marais, C.F., 28
Mathur, P., 93
Mayer, H.A., 258
McMahon, L.R., 160
Mehne, L.F., 207
Merzweiler, K., 9
Milius, W., 252
Moiseeva, N., 299
Molloy, K.C., 101
Montilla, F., 127
Morrissey, D.Y., 207
Moss, J.R., 28
Mulvey, R.E., 88
Munavalli, S., 160

Nagabrahmanandachari, S., 132
Naidoo, K.J., 28
Naka, A., 1
Nakajima, K., 290
Nakano, T., 144
Net, G., 136
Nifant'ev, I.E., 104
Nifantyev, E.E., 18
Nishimura, S., 49

Oilunkaniemi, R., 200
Ono, K., 144
Ook Kang, S., 165
Özkar, S., 122

Pakkanen, T.T., 38
Palitzsch, W., 9
Pàmies, O., 136
Pastor, A., 127
Paulasaari, J.K., 299
Peng, S.-M., 176
Perron, P., 104
Pietzsch, C., 9
Podestá, J.C., 74
Pregosin, P.S., 244
Pritzkow, H., 233
Puttnat, M., 9

Raghuraman, K., 132
Rheinwald, G., 284
Rieger, B., 58
Rodger, P.J.A., 88
Roewer, G., 9
Rohrbaugh, D.K., 160
Rossman, D.I., 160
Ruiz, A., 136
Rycroft, D.S., 195

Salupo-Bryant, T., 207
Saurenz, D., 267
Selvakumar, K., 244
Shieh, M., 176

PII: S0022-328X(99)00418-0

Sitzmann, H., 267
Stalke, D., 267
Stash, A.I., 18
Steed, J.W., 191
Steimann, M., 258
Stößel, P., 258
Sun, Y.-L., 151

Taguchi, N., 290
Tatsumi, K., 290
Teixidor, F., 67
Thewalt, U., 58
Toscano, R.-A., 215

Ueng, C.-H., 176

Valente, E.J., 207
Valentini, M., 244
Veiros, L.F., 221, 233
Viñas, C., 67

Wachter, C., 267
Wadepohl, H., 233
Wang, F.-C., 151
Weber, W.P., 299
Whan Yoo, J., 165
Widhalm, M., 136
Winfield, J.M., 195
Wolmershäuser, G., 267
Wook Han, J., 181
Wörle, M., 244

Wrackmeyer, B., 252

Yamabe, T., 1
Yamamoto, Y., 49
Yan, H., 252
Yan, L.-F., 151
Yeoul Lee, B., 181
Yoshizawa, K., 1

Zakharov, L.N., 113
Zanello, P., 9
Zhezlova, E.V., 113
Zora, M., 122
Zubkowski, J.D., 207

ELSEVIER

Journal of Organometallic Chemistry 587 (1999) 309–313

Journal of Organometallic Chemistry

Subject Index of Volume 587

Alkylation
Friedel–Crafts alkylation of ferrocene with *Z*-cyclooctene and cyclohexene, 122
Alkyls
The synthesis, characterization and properties of alkyl complexes of the type [Cp*Fe(CO)$_2$R] (Cp* = η^5-C$_5$(CH$_3$)$_5$; R = *n*-C$_3$H$_7$ to *n*-C$_{12}$H$_{25}$); the X-ray crystal and molecular structure of [Cp*Fe(CO)$_2$(*n*-C$_5$H$_{11}$)] and molecular orbital and density functional calculations on the β-hydride elimination of [CpFe(CO)$_2$(CH$_2$CH$_3$)], 28
Alkynyl
Bis(alkinyl)-bipyridyl-platin(II)-Komplexe: Ein einfacher Zugang zu zweikernigen Platin(II)–Kupfer(I)-Verbindungen, 284
Allylgermanes
An alternative route to allylgermanes by the palladium-catalyzed reaction of germylsilanes with allylic halides, 144
Aluminum
Intramolecular C–H···O hydrogen bond controlling the conformation of heterocycles: synthesis, structure and catalytic reactivity of aluminum aryloxides, 151
Amide
Synthesis and crystal structure of trimeric sodium 2,2,6,6-tetramethylpiperidide (NaTMP), 88
Amine
Aminosilane as a coupling agent for cyclopentadienyl ligands on silica, 38
Antimony
Reactivity of [Et$_4$N]$_2$[MeSb{Fe(CO)$_4$}$_3$] toward HOAc and [Cu(MeCN)$_4$]BF$_4$: formation of [Et$_4$N][Me(OAc)-Sb{Fe(CO)$_4$}$_2$] and [MeSb{Fe(CO)$_4$}{Fe$_2$(CO)$_8$}], 176
Aromatic diselenides
The NMR spectroscopic and X-ray crystallographic study of the oxidative addition of bis(2-thienyl) diselenide to zerovalent palladium and platinum centers, 200
Arylcarboranes
Synthesis of new arylcarboranes as precursors for oligomers, 67
Aryloxide
Intramolecular C–H···O hydrogen bond controlling the conformation of heterocycles: synthesis, structure and catalytic reactivity of aluminum aryloxides, 151
Asymmetric hydroformylation
Rhodium cationic complexes using macrocyclic diphosphines as chiral ligands: Application in asymmetric hydroformylation, 136
1,2-Asymmetric induction
1,2-Stereoinduction in the asymmetric hydrostannation of (*E*)- and (*Z*)-trisubstituted ethylenes with (−)-menthyldimethyltin hydride, 74

Benzobis(disilacyclobutene)
Palladium- and platinum-catalyzed reactions of benzo[1,2:4,5]bis-(1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene) with alkenes, 1
Bicyclophosphites
Metal complexes based on monosaccharide bicyclophosphites as new available chiral coordination systems, 18
Bipyridyl
Bis(alkinyl)-bipyridyl-platin(II)-Komplexe: Ein einfacher Zugang zu zweikernigen Platin(II)–Kupfer(I)-Verbindungen, 284
Bis[dichloro(pentamethylcyclopentadienyl)iridium(II)]
Reactions of bis[dichloro(η^5-pentamethylcyclopentadienyl)iridium-(III)] with bulky and highly basic aromatic phosphines containing *ortho*-methoxy groups, 49
Bis(2,6-dimethoxyphenyl)phenylphosphine
Reactions of bis[dichloro(η^5-pentamethylcyclopentadienyl)iridium-(III)] with bulky and highly basic aromatic phosphines containing *ortho*-methoxy groups, 49

(Carbomethoxy)maleic anhydride
Pericyclic organometallic reactions. The reactions of (cht)Fe(CO)$_2$L (L = CO, P(OPh)$_3$, PPh$_3$) and (carbomethoxy)-maleic anhydride revisited, 81
Carbonyl
Reactivity of [Et$_4$N]$_2$[MeSb{Fe(CO)$_4$}$_3$] toward HOAc and [Cu(MeCN)$_4$]BF$_4$: formation of [Et$_4$N][Me(OAc)Sb{Fe(CO)$_4$}$_2$] and [MeSb{Fe(CO)$_4$}{Fe$_2$(CO)$_8$}], 176
Carboranes
16- and 18-Electron Cp*Rh complexes with 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligands, as studied by multinuclear magnetic resonance, 252
Carboxylates
A novel trinuclear *n*-butyltin cluster7 incorporating three ferrocene carboxylate substituents, 132
Catalysis
Intramolecular C–H···O hydrogen bond controlling the conformation of heterocycles: synthesis, structure and catalytic reactivity of aluminum aryloxides, 151
Catalyzed reaction
Palladium- and platinum-catalyzed reactions of benzo[1,2:4,5]bis-(1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene) with alkenes, 1
Chirality
Chiral palladium(II) complexes bearing tetradentate nitrogen ligands: synthesis, crystal structure and reactivity towards the polymerization of norbornene, 58
Chiral macrocyclic diphosphine
Rhodium cationic complexes using macrocyclic diphosphines as chiral ligands: Application in asymmetric hydroformylation, 136
Clusters
Synthesis and characterisation of *cis* and *trans* isomers of the mixed chalcogen clusters Cp$_2$Mo$_2$Fe$_2$(CO)$_8$(μ_3-S)(μ_3-Se) and Cp$_2$Mo$_2$Fe$_2$(CO)$_8$(μ_3-S)(μ_3-Te), 93
Cobalt complexes
Structure and reactivity of paramagnetic cyclopentadienyl cobalt complexes with bulky alkyl substituents, 267
Copper(I) bromide
Bis(alkinyl)-bipyridyl-platin(II)-Komplexe: Ein einfacher Zugang zu zweikernigen Platin(II)–Kupfer(I)-Verbindungen, 284
Copper(I) chloride
Bis(alkinyl)-bipyridyl-platin(II)-Komplexe: Ein einfacher Zugang zu zweikernigen Platin(II)–Kupfer(I)-Verbindungen, 284

PII: S0022-328X(99)00419-2

Crystallization
Structure and reactivity of paramagnetic cyclopentadienyl cobalt complexes with bulky alkyl substituents, 267
Crystal structure
Bis-(1,2-*N*,*N*-dimethylaminomethylferrocenyl)dichlorosilane—structure and reactivity, 9
Chiral palladium(II) complexes bearing tetradentate nitrogen ligands: synthesis, crystal structure and reactivity towards the polymerization of norbornene, 58
Structure and reactivity of paramagnetic cyclopentadienyl cobalt complexes with bulky alkyl substituents, 267
Syntheses and structures of ruthenium(II) complexes bearing hybrid phosphine-thioether ligands, $Me_2PCH_2CH_2SR$, 290
Synthesis and crystal structure of trimeric sodium 2,2,6,6-tetramethylpiperidide (NaTMP), 88
Synthesis of palladium and platinum complexes containing the multidentate ligands $PPh_2CH_2(^tBu)$=N–N=C(R)Q (R = H, Me; Q = 2-pyridine, 2-thiophene, *o*-BrC_6H_4). Crystal structure of [PtMe{$PPh_2CHC(^tBu)NNCMe$(2-py)-κ^3N,N',P}] and [PdBr{$PPh_2CH_2C(^tBu)$=N–N=CHC_6H_4}-κ^3C,N,P], 165
Cyclization
Synthesis of palladium and platinum complexes containing the multidentate ligands $PPh_2CH_2(^tBu)$=N–N=C(R)Q (R = H, Me; Q = 2-pyridine, 2-thiophene, *o*-BrC_6H_4). Crystal structure of [PtMe{$PPh_2CHC(^tBu)NNCMe$(2-py)-κ^3N,N',P}] and [PdBr{$PPh_2CH_2C(^tBu)$=N–N=CHC_6H_4}-κ^3C,N,P], 165
Cycloadditions
Pericyclic organometallic reactions. The reactions of (cht)$Fe(CO)_2L$ (L = CO, $P(OPh)_3$, PPh_3) and (carbomethoxy)maleic anhydride revisited, 81
Cycloheptatriene
Pericyclic organometallic reactions. The reactions of (cht)$Fe(CO)_2L$ (L = CO, $P(OPh)_3$, PPh_3) and (carbomethoxy)maleic anhydride revisited, 81
Cyclohexene
Friedel–Crafts alkylation of ferrocene with *Z*-cyclooctene and cyclohexene, 122
Cyclooctene
Friedel–Crafts alkylation of ferrocene with *Z*-cyclooctene and cyclohexene, 122
Cyclopentadienyl
Aminosilane as a coupling agent for cyclopentadienyl ligands on silica, 38
Cyclopentadienyl complexes
Synthesis and X-ray crystal structures of mixed sandwich Group 8 cyclopentadienyl complexes containing crown trithioether ligands, 207

Demethylation from phosphines
Reactions of bis[dichloro(η^5-pentamethylcyclopentadienyl)iridium-(III)] with bulky and highly basic aromatic phosphines containing *ortho*-methoxy groups, 49
Density functional theory
The synthesis, characterization and properties of alkyl complexes of the type [Cp*$Fe(CO)_2R$] (Cp* = η^5-$C_5(CH_3)_5$; R = *n*-C_3H_7 to *n*-$C_{12}H_{25}$); the X-ray crystal and molecular structure of [Cp*$Fe(CO)_2$(*n*-C_5H_{11})] and molecular orbital and density functional calculations on the β-hydride elimination of [$CpFe(CO)_2(CH_2CH_3)$], 28
2 D-Exchange NMR
Selective dynamics of [Rh(1,5-COD)(bidentate)]BF_4 complexes via NMR exchange spectroscopy, 244
(2,6-Dimethoxyphenyl)diphenylphosphine
Reactions of bis[dichloro(η^5-pentamethylcyclopentadienyl)iridium-(III)] with bulky and highly basic aromatic phosphines containing *ortho*-methoxy groups, 49
Dithio-ligand
Synthesis and characterization of d^2-molybdenum imido complexes containing coordinated dithio-ligands. MO rationalization of the preferential isomer formation of Mo(N-2,4,6-$Me_3C_6H_2$)(S_2COMe)Cl(PMe_3)$_2$, 127
d^6-Transition metal centers
Interplay of ketenyl and nitrile ligands on d^6-transition metal centres. Acetonitrile as an end-on (two-electron) and a side-on (four-electron) ligand, 233
Dynamic NMR
Preparation, dynamic NMR behavior and X-ray structure of a novel 1:1 complex of dimethyldivinylsilane and carbonyl-bis(triphenylphosphine)ruthenium, 299

EHMO calculations
Synthesis and characterization of d^2-molybdenum imido complexes containing coordinated dithio-ligands. MO rationalization of the preferential isomer formation of Mo(N-2,4,6-$Me_3C_6H_2$)(S_2COMe)Cl(PMe_3)$_2$, 127
Ethylene
Synthesis of bis(1,2,3-substituted cyclopentadienyl)zirconium dichloride derivatives and their use in ethylene polymerization, 181

Ferrocene
A novel trinuclear *n*-butyltin cluster7 incorporating three ferrocene carboxylate substituents, 132
Friedel–Crafts alkylation of ferrocene with *Z*-cyclooctene and cyclohexene, 122
Ferrocenophane
Neutral and cationic 1,4-diphospha-2-rhoda-3-thia-[4]-ferrocenophane, 104
Fluorides
Trimethylplatinum hydroxy–fluorides, 195
Fluxionality
Trimethylplatinum hydroxy–fluorides, 195
Free radical oxirane ring cleavage
Trifluoromethylthiocopper-mediated oxirane ring opening, 160
Friedel–Crafts
Friedel–Crafts alkylation of ferrocene with *Z*-cyclooctene and cyclohexene, 122
FTIR spectroscopy
Aminosilane as a coupling agent for cyclopentadienyl ligands on silica, 38

(Germyl)silanes
An alternative route to allylgermanes by the palladium-catalyzed reaction of germylsilanes with allylic halides, 144

Half-open biferrocene
The synthesis of binuclear half-open 1,1′-biferrocene: redox behavior and an interpretation of the ^{57}Fe Mössbauer data, 46
Half-open ferrocene
The synthesis of binuclear half-open 1,1′-biferrocene: redox behavior and an interpretation of the ^{57}Fe Mössbauer data, 46
Half-sandwich complexes
16- and 18-Electron Cp*Rh complexes with 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligands, as studied by multinuclear magnetic resonance, 252
Haptotropic shifts
Haptotropic shifts in organometallic complexes with η^5-coordinated π ligands, 221
Heterobimetallic
Neutral and cationic 1,4-diphospha-2-rhoda-3-thia-[4]-ferrocenophane, 104
Hydride
Is the unconventional H···H bond more common than expected? Synthesis and X-ray structure of monomeric [Ru(CO)-$H_2(PPh_3)_3$], 191

β-Hydride elimination
The synthesis, characterization and properties of alkyl complexes of the type [Cp*Fe(CO)$_2$R] (Cp* = η^5-C$_5$(CH$_3$)$_5$; R = *n*-C$_3$H$_7$ to *n*-C$_{12}$H$_{25}$); the X-ray crystal and molecular structure of [Cp*Fe(CO)$_2$(*n*-C$_5$H$_{11}$)] and molecular orbital and density functional calculations on the β-hydride elimination of [CpFe(CO)$_2$(CH$_2$CH$_3$)], 28
Hydrogen bond
Intramolecular C–H···O hydrogen bond controlling the conformation of heterocycles: synthesis, structure and catalytic reactivity of aluminum aryloxides, 151
Is the unconventional H···H bond more common than expected? Synthesis and X-ray structure of monomeric [Ru(CO)H$_2$(PPh$_3$)$_3$], 191
Hydroxides
Trimethylplatinum hydroxy–fluorides, 195

Imido
Synthesis and characterization of d^2-molybdenum imido complexes containing coordinated dithio-ligands. MO rationalization of the preferential isomer formation of Mo(N-2,4,6-Me$_3$C$_6$H$_2$)(S$_2$COMe)Cl(PMe$_3$)$_2$, 127
Iron
Bis-(1,2-*N*,*N*-dimethylaminomethylferrocenyl)dichlorosilane—structure and reactivity, 9
Reactivity of [Et$_4$N]$_2$[MeSb{Fe(CO)$_4$}$_3$] toward HOAc and [Cu(MeCN)$_4$]BF$_4$: formation of [Et$_4$N][Me(OAc)Sb{Fe(CO)$_4$}$_2$] and [MeSb{Fe(CO)$_4$}{Fe$_2$(CO)$_8$}], 176
Synthesis and characterisation of *cis* and *trans* isomers of the mixed chalcogen clusters Cp$_2$Mo$_2$Fe$_2$(CO)$_8$(μ$_3$-S)(μ$_3$-Se) and Cp$_2$Mo$_2$Fe$_2$(CO)$_8$(μ$_3$-S)(μ$_3$-Te), 93
Iron complexes
Pericyclic organometallic reactions. The reactions of (cht)Fe(CO)$_2$L (L = CO, P(OPh)$_3$, PPh$_3$) and (carbomethoxy-)maleic anhydride revisited, 81
Iron–rhodium
Neutral and cationic 1,4-diphospha-2-rhoda-3-thia-[4]-ferrocenophane, 104

Ketenyl
Interplay of ketenyl and nitrile ligands on d^6-transition metal centres. Acetonitrile as an end-on (two-electron) and a side-on (four-electron) ligand, 233

Lanthanides
Tris(trimethylsilyl)siloxides of gadolinium and lanthanum: synthesis, structure and some properties, 113
Lead
The structure of triphenyl(1-phenyl-5-mercapto-*1H*-1,2,3,4-tetrazolato)lead(IV): towards the first example of a π-coordinated metallotetrazole?, 101
Lithium
Synthesis and crystal structure of trimeric sodium 2,2,6,6-tetramethylpiperidide (NaTMP), 88

Magnetism
Structure and reactivity of paramagnetic cyclopentadienyl cobalt complexes with bulky alkyl substituents, 267
Metal complexes
Metal complexes based on monosaccharide bicyclophosphites as new available chiral coordination systems, 18
Metallocanes
Influence of the steric effect on the conformation of stannocanes. The synthesis and X-ray structure of X(CH$_2$CH$_2$S)$_2$Sn(*n*-Bu)Cl (X = S, O), 215
Molecular orbital
The synthesis, characterization and properties of alkyl complexes of the type [Cp*Fe(CO)$_2$R] (Cp* = η^5-C$_5$(CH$_3$)$_5$; R = *n*-C$_3$H$_7$ to *n*-C$_{12}$H$_{25}$); the X-ray crystal and molecular structure of [Cp*Fe(CO)$_2$(*n*-C$_5$H$_{11}$)] and molecular orbital and density functional calculations on the β-hydride elimination of [CpFe(CO)$_2$(CH$_2$CH$_3$)], 28
Molecular orbital calculations
Haptotropic shifts in organometallic complexes with η^5-coordinated π ligands, 221
Molybdenum
Synthesis and characterisation of *cis* and *trans* isomers of the mixed chalcogen clusters Cp$_2$Mo$_2$Fe$_2$(CO)$_8$(μ$_3$-S)(μ$_3$-Se) and Cp$_2$Mo$_2$Fe$_2$(CO)$_8$(μ$_3$-S)(μ$_3$-Te), 93
Synthesis and characterization of d^2-molybdenum imido complexes containing coordinated dithio-ligands. MO rationalization of the preferential isomer formation of Mo(N-2,4,6-Me$_3$C$_6$H$_2$)(S$_2$COMe)Cl(PMe$_3$)$_2$, 127
Monosaccharides
Metal complexes based on monosaccharide bicyclophosphites as new available chiral coordination systems, 18
Mössbauer spectroscopy
Bis-(1,2-*N*,*N*-dimethylaminomethylferrocenyl)dichlorosilane—structure and reactivity, 9

Nickel
Synthesis and characterization of Ni-, Pd- and Pt-complexes of functionalized, tripodal phosphine ligands, 258
Nitrile
Interplay of ketenyl and nitrile ligands on d^6-transition metal centres. Acetonitrile as an end-on (two-electron) and a side-on (four-electron) ligand, 233
NMR
16- and 18-Electron Cp*Rh complexes with 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligands, as studied by multinuclear magnetic resonance, 252
NMR spectroscopy
The NMR spectroscopic and X-ray crystallographic study of the oxidative addition of bis(2-thienyl) diselenide to zerovalent palladium and platinum centers, 200
1,2-*N*,*N*-Dimethylaminomethylferrocenyl
Bis-(1,2-*N*,*N*-dimethylaminomethylferrocenyl)dichlorosilane—structure and reactivity, 9
Norbornene polymerization
Chiral palladium(II) complexes bearing tetradentate nitrogen ligands: synthesis, crystal structure and reactivity towards the polymerization of norbornene, 58
Nuclear magnetic resonance
Aminosilane as a coupling agent for cyclopentadienyl ligands on silica, 38

o-Carboranes
Synthesis of new arylcarboranes as precursors for oligomers, 67
Oligomers
Synthesis of new arylcarboranes as precursors for oligomers, 67
Optical activity
Bis-(1,2-*N*,*N*-dimethylaminomethylferrocenyl)dichlorosilane—structure and reactivity, 9
Organoplatinum
Trimethylplatinum hydroxy–fluorides, 195
Organotin hydrides
1,2-Stereoinduction in the asymmetric hydrostannation of (*E*)- and (*Z*)-trisubstituted ethylenes with (−)-menthyldimethyltin hydride, 74
Oxidative addition
Neutral and cationic 1,4-diphospha-2-rhoda-3-thia-[4]-ferrocenophane, 104

Palladium
Palladium- and platinum-catalyzed reactions of benzo[1,2:4,5]-bis(1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene) with alkenes, 1
Synthesis and characterization of Ni-, Pd- and Pt-complexes of functionalized, tripodal phosphine ligands, 258
Synthesis of palladium and platinum complexes containing the multidentate ligands $PPh_2CH_2(^tBu)$=N–N=C(R)Q (R = H, Me; Q = 2-pyridine, 2-thiophene, *o*-BrC_6H_4). Crystal structure of [PtMe{$PPh_2CHC(^tBu)NNCMe$(2-py)-κ^3N,N',P}] and [PdBr{$PPh_2CH_2C(^tBu)$=N–N=CHC_6H_4}-κ^3C,N,P], 165
Palladium catalysis
An alternative route to allylgermanes by the palladium-catalyzed reaction of germylsilanes with allylic halides, 144
Palladium complex
The NMR spectroscopic and X-ray crystallographic study of the oxidative addition of bis(2-thienyl) diselenide to zerovalent palladium and platinum centers, 200
Palladium(II) polymerization catalysts
Chiral palladium(II) complexes bearing tetradentate nitrogen ligands: synthesis, crystal structure and reactivity towards the polymerization of norbornene, 58
Pauson–Khand reaction
Synthesis of bis(1,2,3-substituted cyclopentadienyl)zirconium dichloride derivatives and their use in ethylene polymerization, 181
Phosphine-thioether ligands
Syntheses and structures of ruthenium(II) complexes bearing hybrid phosphine-thioether ligands, $Me_2PCH_2CH_2SR$, 290
Phosphino hydrazone
Synthesis of palladium and platinum complexes containing the multidentate ligands $PPh_2CH_2(^tBu)$=N–N=C(R)Q (R = H, Me; Q = 2-pyridine, 2-thiophene, *o*-BrC_6H_4). Crystal structure of [PtMe{$PPh_2CHC(^tBu)NNCMe$(2-py)-κ^3N,N',P}] and [PdBr{$PPh_2CH_2C(^tBu)$=N–N=CHC_6H_4}-κ^3C,N,P], 165
Platinum
Palladium- and platinum-catalyzed reactions of benzo[1,2:4,5]-bis(1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene) with alkenes, 1
Synthesis and characterization of Ni-, Pd- and Pt-complexes of functionalized, tripodal phosphine ligands, 258
Synthesis of palladium and platinum complexes containing the multidentate ligands $PPh_2CH_2(^tBu)$=N–N=C(R)Q (R = H, Me; Q = 2-pyridine, 2-thiophene, *o*-BrC_6H_4). Crystal structure of [PtMe{$PPh_2CHC(^tBu)NNCMe$(2-py)-κ^3N,N',P}] and [PdBr{$PPh_2CH_2C(^tBu)$=N–N=CHC_6H_4}-κ^3C,N,P], 165
Platinum complex
The NMR spectroscopic and X-ray crystallographic study of the oxidative addition of bis(2-thienyl) diselenide to zerovalent palladium and platinum centers, 200
Platinum(II)
Bis(alkinyl)-bipyridyl-platin(II)-Komplexe: Ein einfacher Zugang zu zweikernigen Platin(II)–Kupfer(I)-Verbindungen, 284
P-O and P,O,O′ chelating ligands
Reactions of bis[dichloro(η^5-pentamethylcyclopentadienyl)iridium(III)] with bulky and highly basic aromatic phosphines containing *ortho*-methoxy groups, 49
Polymerization
Synthesis of bis(1,2,3-substituted cyclopentadienyl)zirconium dichloride derivatives and their use in ethylene polymerization, 181
Polytopal rearrangement
Preparation, dynamic NMR behavior and X-ray structure of a novel 1:1 complex of dimethyldivinylsilane and carbonyl-bis(triphenylphosphine)ruthenium, 299
Radical additions
1,2-Stereoinduction in the asymmetric hydrostannation of (*E*)- and (*Z*)-trisubstituted ethylenes with (−)-menthyldimethyltin hydride, 74
Redox behavior
The synthesis of binuclear half-open 1,1′-biferrocene: redox behavior and an interpretation of the ^{57}Fe Mössbauer data, 46
Regioselectivity
An alternative route to allylgermanes by the palladium-catalyzed reaction of germylsilanes with allylic halides, 144
^{103}Rh
16- and 18-Electron Cp*Rh complexes with 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligands, as studied by multinuclear magnetic resonance, 252
[Rh(1,5-COD)(bidentate)]$^+$
Selective dynamics of [Rh(1,5-COD)(bidentate)]BF_4 complexes via NMR exchange spectroscopy, 244
Rhodium
16- and 18-Electron Cp*Rh complexes with 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligands, as studied by multinuclear magnetic resonance, 252
Rhodium cationic complexes using macrocyclic diphosphines as chiral ligands: Application in asymmetric hydroformylation, 136
Ring conformation
Influence of the steric effect on the conformation of stannocanes. The synthesis and X-ray structure of $X(CH_2CH_2S)_2Sn(n$-Bu)Cl (X = S, O), 215
Ring-folding
Haptotropic shifts in organometallic complexes with η^5-coordinated π ligands, 221
Ring-slippage
Haptotropic shifts in organometallic complexes with η^5-coordinated π ligands, 221
Ruthenium
Is the unconventional H···H bond more common than expected? Synthesis and X-ray structure of monomeric $[Ru(CO)H_2(PPh_3)_3]$, 191
Preparation, dynamic NMR behavior and X-ray structure of a novel 1:1 complex of dimethyldivinylsilane and carbonyl-bis(triphenylphosphine)ruthenium, 299
Ruthenium complexes
Synthesis and X-ray crystal structures of mixed sandwich Group 8 cyclopentadienyl complexes containing crown trithioether ligands, 207
Ruthenium(II) complexes
Syntheses and structures of ruthenium(II) complexes bearing hybrid phosphine-thioether ligands, $Me_2PCH_2CH_2SR$, 290

Schiff bases
Chiral palladium(II) complexes bearing tetradentate nitrogen ligands: synthesis, crystal structure and reactivity towards the polymerization of norbornene, 58
^{77}Se
16- and 18-Electron Cp*Rh complexes with 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligands, as studied by multinuclear magnetic resonance, 252
Sigmahaptotropic rearrangements
Pericyclic organometallic reactions. The reactions of (cht)$Fe(CO)_2L$ (L = CO, $P(OPh)_3$, PPh_3) and (carbomethoxy)maleic anhydride revisited, 81
Silane
Aminosilane as a coupling agent for cyclopentadienyl ligands on silica, 38
Silica
Aminosilane as a coupling agent for cyclopentadienyl ligands on silica, 38

Silicon
Bis-(1,2-*N*,*N*-dimethylaminomethylferrocenyl)dichlorosilane—structure and reactivity, 9
Tris(trimethylsilyl)siloxides of gadolinium and lanthanum: synthesis, structure and some properties, 113
Siloxides
Tris(trimethylsilyl)siloxides of gadolinium and lanthanum: synthesis, structure and some properties, 113
Sodium
Synthesis and crystal structure of trimeric sodium 2,2,6,6-tetramethylpiperidide (NaTMP), 88
Stereo-selectivity
An alternative route to allylgermanes by the palladium-catalyzed reaction of germylsilanes with allylic halides, 144
Structure
The structure of triphenyl(1-phenyl-5-mercapto-*1H*-1,2,3,4-tetrazolato)lead(IV): towards the first example of a π-coordinated metallotetrazole?, 101
Styrene oxide
Trifluoromethylthiocopper-mediated oxirane ring opening, 160

^{125}Te
16- and 18-Electron Cp*Rh complexes with 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligands, as studied by multinuclear magnetic resonance, 252
Tetradentate nitrogen ligands
Chiral palladium(II) complexes bearing tetradentate nitrogen ligands: synthesis, crystal structure and reactivity towards the polymerization of norbornene, 58
Tetraisopropylcyclopentadienyl
Structure and reactivity of paramagnetic cyclopentadienyl cobalt complexes with bulky alkyl substituents, 267
Tetrazole
The structure of triphenyl(1-phenyl-5-mercapto-*1H*-1,2,3,4-tetrazolato)lead(IV): towards the first example of a π-coordinated metallotetrazole?, 101
Thioethers
Synthesis and X-ray crystal structures of mixed sandwich Group 8 cyclopentadienyl complexes containing crown trithioether ligands, 207
Tin
A novel trinuclear *n*-butyltin cluster7 incorporating three ferrocene carboxylate substituents, 132
Tin compounds
Influence of the steric effect on the conformation of stannocanes. The synthesis and X-ray structure of $X(CH_2CH_2S)_2Sn(n\text{-}Bu)Cl$ (X = S, O), 215
Tricarbonylmanganese
Haptotropic shifts in organometallic complexes with η^5-coordinated π ligands, 221
Trifluoromethylthiocopper
Trifluoromethylthiocopper-mediated oxirane ring opening, 160
Triphenylphosphine
Is the unconventional H···H bond more common than expected? Synthesis and X-ray structure of monomeric $[Ru(CO)H_2(PPh_3)_3]$, 191
Tripodal phosphine
Synthesis and characterization of Ni-, Pd- and Pt-complexes of functionalized, tripodal phosphine ligands, 258
Tris(2,6-dimethoxyphenyl)phosphine
Reactions of bis[dichloro(η^5-pentamethylcyclopentadienyl)iridium-(III)] with bulky and highly basic aromatic phosphines containing *ortho*-methoxy groups, 49
Tri(*tert*-butyl)cyclopentadienyl
Structure and reactivity of paramagnetic cyclopentadienyl cobalt complexes with bulky alkyl substituents, 267
Trithiacyclononane
Synthesis and X-ray crystal structures of mixed sandwich Group 8 cyclopentadienyl complexes containing crown trithioether ligands, 207

Vinylsilanes
Preparation, dynamic NMR behavior and X-ray structure of a novel 1:1 complex of dimethyldivinylsilane and carbonylbis(triphenylphosphine)ruthenium, 299

X-ray
16- and 18-Electron Cp*Rh complexes with 1,2-dicarba-*closo*-dodecaborane(12)-1,2-dichalcogenolato ligands, as studied by multinuclear magnetic resonance, 252
Preparation, dynamic NMR behavior and X-ray structure of a novel 1:1 complex of dimethyldivinylsilane and carbonylbis(triphenylphosphine)ruthenium, 299
Synthesis and characterization of Ni-, Pd- and Pt-complexes of functionalized, tripodal phosphine ligands, 258
X-ray crystallography
The NMR spectroscopic and X-ray crystallographic study of the oxidative addition of bis(2-thienyl) diselenide to zerovalent palladium and platinum centers, 200
X-ray diffraction
Reactivity of $[Et_4N]_2[MeSb\{Fe(CO)_4\}_3]$ toward HOAc and $[Cu(MeCN)_4]BF_4$: formation of $[Et_4N][Me(OAc)Sb\{Fe(CO)_4\}_2]$ and $[MeSb\{Fe(CO)_4\}\{Fe_2(CO)_8\}]$, 176
Selective dynamics of $[Rh(1,5\text{-}COD)(bidentate)]BF_4$ complexes via NMR exchange spectroscopy, 244
Tris(trimethylsilyl)siloxides of gadolinium and lanthanum: synthesis, structure and some properties, 113
X-ray structure
Influence of the steric effect on the conformation of stannocanes. The synthesis and X-ray structure of $X(CH_2CH_2S)_2Sn(n\text{-}Bu)Cl$ (X = S, O), 215

Zirconocene
Synthesis of bis(1,2,3-substituted cyclopentadienyl)zirconium dichloride derivatives and their use in ethylene polymerization, 181